Striking Wood - www.strikingwood.com

Instructions for Premium Designer Twist Pen Kit



Needed: Drill Bit required –8mm Carbide Tipped Drill Bit Parker Standard Style Refills Bushings required –3 or 4pcs for premium designer kits 7mm,long mandrel Universal barrel trimmer (Use 8mm shaft)

Kit Features:

- Heavy 24kt gold plating with epoxy coating
- Uses Parker® style refill

Diagram A / Parts Layout






Diagram B / Turning the Wood Blanks



Turning the Blanks

- Mount the bushings and blanks on the mandrel according to diagram B
- Turnthe wood down, close to the size of the bushings. Sand the wood down to match the bushings diameter
- Finish the wood with you choice polish.

Diagram C / Assembly



Assembly

·Line up finished parts according to diagram C.

•To press parts together, use a vice or a clamping instrument with wooden jaws. Press with caution, to avoid scratching gold plated parts. •Press the cap nut, recessed end in first into tapered end of the upper barrel ·Insert the upper cap threads into clip, screw together tight into cap nut. •Press the tip into the tapered end of the lower barrel •Press the coupler, recessed end first into the opposite end of the barrel. into the opening at the coupler. Thread the Drop the refill with spring end in first to the coupler. Test for function mechanism, brass Slide the center band, tapered end in first over the mechanism. the upper and lower barrels of the pen. Engauge operates by twisting the barrels to extend or retract the writing •Pen tip.